



# Petronet LNG Limited

GIDC Industrial Estate, Plot No. 7/A, Dahej  
Taluka : Vagra, Dist. Bharuch (Gujarat) - 392130 (India)  
Tel. : 02641 - 670200 / 257  
CIN: L74899DL 1998PLCO93073  
GST No. : 24AAACP8148D1ZM



REF: PLL/DHJ/PROJ/MoEF/2024/05

Date: 31.05.2024

To,

Director,  
Ministry of Env., Forest and Climate Change  
Indira Paryavaran Bhawan,  
Jorbagh Road,  
New Delhi – 110003

Sub : Six Monthly Compliance Report for the period from October,2023 to March,2024 w.r.t conditions stipulated by MOEF&CC with EC identification no. EC24A2101GJ5957048N Dtd: 8th March 2024 for "Setting up Petrochemical Complex at Luvara village, Vagra Tehsil, Bharuch District, Gujarat by M/s. Petronet LNG Limited (PLL) as on 31st March,2024.

Ref : EC Identification No. EC24A2101GJ5957048N Dtd: 8<sup>th</sup> March,2024

Dear Sir,


With reference to be above subject, Six Monthly Compliance Report for the period from October,2023 to March,2024 with respect to conditions stipulated by MOEF&CC with EC identification no. EC24A2101GJ5957048N Dtd: 8th March 2024 for "Setting up Petrochemical Complex at Luvara village, Vagra Tehsil, Bharuch District, Gujarat by M/s. Petronet LNG Limited (PLL) as on 31st March,2024 is uploaded in "PARIVESH 2" portal.

This is for your information and reference.

Thanking you,

Yours faithfully,

For Petronet LNG Limited

  
31/05/2024

Nishant Patel  
CGM & Vice President (Projects)

Encl.: As above

Copy to:-

1) Director (Environment)  
Forests & Environment Department,  
Government of Gujarat,  
Block No. 14, 8<sup>th</sup> Floor, Sachivalaya,  
Gandhinagar – 382 010

2) MoEF & CC  
Integrated Regional Office  
Room No 407 & 409  
Sector 10A  
A Wing Aranya Bhawan  
Gandhinagar-382010

3) Unit Head - Bharuch Division  
Gujarat Pollution Control Board  
Paryavaran Bhavan, Sector-10 A  
GANDHINAGAR – 382 010 (Gujarat)

4) Regional Officer  
Gujarat Pollution Control Board  
C-1\119\3, GIDC, Phase – 2 , Narmada Nagar  
Bharuch – 392015 (Gujarat)

**Regd. Off.:**

World Trade Centre, First Floor, Babar Road,  
Barakhamba Lane, New Delhi-110 001 (INDIA)  
Tel.: 011 - 23472525, 23411411 Fax : 23472550

**Kochi Site :**

Survey No. 347, Puthuvypu  
P.O. 682508, Kochi Kerala (INDIA)  
Tel.: 0484-2502268

Your (**Environment Clearance**) application has been **Submitted** with following details

|  |   |
|--|---|
| <b>Proposal No</b>   | IA/GJ/IND2/456957/2024                    |
| <b>Compliance ID</b>   | 57795350                                  |
| <b>Compliance Number(For Tracking)</b>   | EC/COMPLIANCE/57795350/2024               |
| <b>Reporting Year</b>  | 2024                                      |
| <b>Reporting Period</b>  | 01 Jun(01 Oct - 31 Mar)                   |
| <b>Submission Date</b>   | 31-05-2024                                |
| <b>IRO Name</b>  | Shrawan Kumar Verma                       |
| <b>IRO Email</b>   | kr099.ifs@nic.in                          |
| <b>State</b>   | GUJARAT                                   |
| <b>IRO Office Address</b>  | Integrated Regional Offices, Gandhi Nagar |
| <b>Note:-</b> SMS and E-Mail has been sent to Shrawan Kumar Verma, GUJARAT with Notification to Project Proponent. |   |



पर्यावरण, वन और जलवायु परिवर्तन मंत्रालय  
Ministry of Environment, Forest and Climate Change



Back

## View Compliance Report at Project Proponent

### Proposal Details

**Proposal No**

IA/GJ/IND2/456957/2024

**Category**

Industrial Projects - 2

**Name of Project**

Setting up Petrochemical Complex at Dahej , District - Bharuch, Gujarat by Petronet LNG Limited

**Plot / Survey/ Khasra No.**

7A

**Village(s)**

Luvara

**Sub-District(s)**

Vagra

**State**

GUJARAT

**District**

BHARUCH

**MoEF File No**

IA-J-11011/345/2022-IA-II(I)

**Name of the Entity/  
Corporate Office**

PETRONET LNG LIMITED (PLL)

**Entity's PAN**

NA

**Entity Name as per PAN**

NA

**Entity details mentioned above is correct ?**

Agree

**Project KML**

View on DSS NA

## Covering Letter

### Covering Letter

[Click to View](#)

## Compliance Reporting Details

### Reporting Year

2024

### Reporting Period

01 Jun(01 Oct - 31 Mar)

### Remark(if any)

Six Monthly Compliance Report for the period of Oct'23-Mar'24.

## Details of Production and Project Area

### Date of Commencement of Project/Activity

|              | Project Area as per EC Granted(ha.) | Actual Project Area in Possession(ha.) |
|--------------|-------------------------------------|--|
| Private      | 0                                   | 0                                      |
| Revenue Land | 47.7                                | 47.7                                   |
| Forest       | 2                                   | 2                                      |
| Others       | 0                                   | 0                                      |
| Total        | 49.7                                | 49.7                                   |

| Sr.No. | Name of the Product | Units                         | As per EC Granted | As per CTO Granted | CTO ID | Valid Up To | Production during last financial year |
|--------|---------------------|-------------------------------|-------------------|--------------------|--------|-------------|---------------------------------------|
| 1      | Ethane              | Million Tons per Annum (MTPA) | 700 KTPA          |                    |        | null        | NA                                    |
| 2      | Propane             | Million Tons per Annum (MTPA) | 100 KTPA          |                    |        | null        | NA                                    |
| 3      | Hydrogen            | Million Tons per Annum (MTPA) | 32 KTPA           |                    |        | null        | NA                                    |
| 4      | Propylene           | Million Tons per              | 250 KTPA          |                    |        | null        | NA                                    |

|   |               |                               |          |  |  |      |    |
|---|---------------|-------------------------------|----------|--|--|------|----|
|   |               | Annum (MTPA)                  |          |  |  |      |    |
| 5 | Polypropylene | Million Tons per Annum (MTPA) | 500 KTPA |  |  | null | NA |
| 6 | C4 LPG        | Million Tons per Annum (MTPA) | 36 KPTA  |  |  | null | NA |

## Conditions

### Specific Conditions

| Sr.No. | Condition Heading                       | Condition Details  | Status of Compliance, Remarks / Reason and Supporting Documents |   |
|--------|---|--|---|---|
| 1      | Statutory compliance                    | PP shall comply with all the conditions stipulated in the recommendations of GCZMA vide letter ENV-10-2023-114-T dated 12.02.2024 & letter no. AU/IRS/KSR/6956/164-2023-REV1 dated 22ndFebruary 2024 adhering to GCZMA recommendations.  | PPs Submission  | Noted and will be complied.<br>Agreed to Comply<br>Attachment:NA          |
| 2      | Risk Mitigation and Disaster Management | The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented. | PPs Submission  | Noted and will be complied.<br>Agreed to Comply<br>Attachment:NA          |
| 3      | Statutory compliance                    | All pollution control and monitoring equipments shall be installed, tested and interlocked with the  | PPs Submission  | Noted and CTO will be obtained from GPCB once all the required conditions |

|   |  |   |  |
|---|--|---|--|
|   |  | <p>process. SPCB shall grant 'Consent to Operate' after ensuring that all the mentioned pollution control equipment's, construction of storm water drain, Greenbelt, uploading of compliance report on the website etc. have been implemented.</p>  | <p>are fulfilled at site.<br/>Agreed to Comply<br/>Attachment:NA</p>   |
| 4 | <p>WATER QUALITY MONITORING AND PRESERVATION</p> | <p>Total fresh water requirement shall not exceed 15600 m3/day, proposed to be met from from Gujarat Industrial Development Corporation (GIDC) water supply system. Necessary permission in this regard shall be obtained from the concerned regulatory authority. The fresh water requirement shall be reduced after installation of rainwater harvesting system in the unit/project area.</p> | <p>PPs Submission</p> <p>"Back up of rainwater harvesting system design shall be maintained. As we have to obtain Compliance certificates to be from the state / regional office of the regulatory body, as it is one of the vital requirements prior initiating the new projects at site in future."<br/>Agreed to Comply<br/>Attachment:NA</p> |
| 5 | <p>WASTE MANAGEMENT</p>                          | <p>All the effluent generated from the proposed unit shall be treated in the efficient ETP. Effort shall be made to recycle the treated effluent for cooling make up water and process. Treated Effluents shall not exceed 840 m3/day which shall be discharged to common effluent channel of GIDC through pipeline.</p>  | <p>PPs Submission</p> <p>Noted and will be complied.<br/>Agreed to Comply<br/>Attachment:NA</p>  |
| 6 | <p>WASTE MANAGEMENT</p>                          | <p>Process effluent/any wastewater shall not be allowed to mix with storm water. Storm water drain shall be</p>   | <p>PPs Submission</p> <p>Noted and will be complied.<br/>Agreed to Comply<br/>Attachment:NA</p>  |

|    |   |   |                |   |
|----|---|---|----------------|---|
|    |   | passed through guard pond.  |                |   |
| 7  | MISCELLANEOUS                           | Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm, and solvent transfer to be done through pumps.  | PPs Submission | Noted and will be complied.<br>Agreed to Comply Attachment:NA   |
| 8  | WASTE MANAGEMENT                        | Process organic residue and spent carbon, if any, shall be sent to cement industries. ETP sludge, process inorganic & evaporation salt shall be disposed off to the TSDf. The ash from boiler shall be sold to brick manufacturers/cement industry.             | PPs Submission | Noted and will be complied.<br>Agreed to Comply Attachment:NA   |
| 9  | AIR QUALITY MONITORING AND PRESERVATION | Regular VOC monitoring shall be done at vulnerable points.  | PPs Submission | Noted and will be complied.<br>Agreed to Comply Attachment:NA   |
| 10 | WASTE MANAGEMENT                        | The oily sludge shall be subjected to melting pit for oil recovery and the residue shall be bioremediated. The sludge shall be stored in HDPE lined pit with proper leachate collection system.   | PPs Submission | Noted and will be complied.<br>Agreed to Comply Attachment:NA   |
| 11 | Risk Mitigation and Disaster Management | The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system and other safety requirements shall be as per the PNGRB norms (LNG T4S Regulations, Petroleum Installations | PPs Submission | All fire protection measures as per applicable OISD, PNGRB will be ensured. PESO certificate will be obtained for applicable equipment.<br>Agreed to Comply Attachment:NA |

|    |   |   |                |  |
|----|---|---|----------------|--|
|    |   | <p>T4S Regulations &amp; ERDMP Regulations) and applicable provisions of OISD. PESO certificate shall be obtained. Location of Ethane, Propane, Propylene, Hydrogen storage facilities (DWST/Mounded Bullets &amp; Bullet etc.) shall be placed in such a way that in the event of any fire, accident, explosion or any unforeseen conditions the impact of such event shall not go beyond the boundary of the plant i.e. the risk should be tolerable (acceptable) at the boundary of the plant.</p> |                |  |
| 12 | Risk Mitigation and Disaster Management | <p>Company shall determine the distance of fire hydrant while finalizing its location from ethanol storage tanks or any other hazardous storage substance shall be based on dispersion of Thermal Radiation so that during any unforeseen situation fire hydrant is always available to operate manually.</p>   | PPs Submission | <p>Noted and same will be ensured. Fire hydrants will be installed based on dispersion of thermal radiation only. Agreed to Comply Attachment:NA</p> |
| 13 | Risk Mitigation and Disaster Management | <p>Company shall maintain an Emergency Response Decision support system in such a way so that identification of the detector's network for the location of the leak source and the probable leaked quantity in real-time, followed by modelling of the dispersion of the plume and consequences as forecast is done in advance and thus, no</p>   | PPs Submission | <p>Noted and same will be ensured. Agreed to Comply Attachment:NA</p>  |



|    |   |  |                |  |
|----|---|--|----------------|--|
|    |   | leak accident may go unattended.<br>Accordingly, Risk Mitigation plan shall be in place.   |                |  |
| 14 | Risk Mitigation and Disaster Management | Cumulative and Societal risk be determined considering at least two most predominant wind directions and accordingly industry to put in place its response plan for an effective emergency response management. QRA shall be undertaken by the accredited consultant.  | PPs Submission | QRA will be undertaken considering two most predominant wind directions by accredited consultant.<br>Agreed to Comply<br>Attachment:NA |
| 15 | MISCELLANEOUS                           | Oil catchers/oil traps shall be provided at all possible locations in rain/ storm water drainage system inside the factory premises.   | PPs Submission | Noted and will be complied.<br>Agreed to Comply<br>Attachment:NA   |
| 16 | MISCELLANEOUS                           | "The company shall undertake waste minimization measures as below: a) Metering and control of quantities of active ingredients to minimize waste. b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. c) Use of automated filling to minimize spillage. d) Use of Close Feed system into batch reactors. e) Venting equipment through vapour recovery system. f) Use of high pressure hoses for equipment cleaning etc. to reduce wastewater generation." | PPs Submission | Noted and will be complied.<br>Agreed to Comply<br>Attachment:NA   |

|                |  |           |   |   |                |  |  |
|----------------|--|-----------|---|---|----------------|--|--|
|                | 17   | GREENBELT | <p>Industry shall develop that greenbelt in an area of 6.0 ha (i.e., 12.57 % of total project area) within in the proposed plot with tree density @2500 trees per hectare, mainly along the plant periphery. Additionally, 50 ha area outside the plant shall be developed in collaboration with Forest Dept which is around 10 km from the proposed site. As committed, PP shall obtain confirmation letter that 50 ha green development proposed outside the plant shall be exclusively done for this proposal by the M/s. Petronet LNG Limited and not by any other Industries. Indigenous species shall only be planted as part of greenbelt and non-indigenous / alien species shall be replaced with native species. No invasive or alien or non-native tree species shall be selected for plantation. PP shall develop at least 20 variety of species as a part of greenbelt. Saplings 4-6 feet high shall be planted. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department and native species shall be developed. Records of tree canopy shall be monitored through remote sensing map. Greenbelt development shall be</p> | <table border="1"> <tr> <td data-bbox="837 69 1098 271">PPs Submission</td> <td data-bbox="1098 69 1358 271">Noted and same is being complied. Agreed to Comply Attachment:NA</td> </tr> </table> | PPs Submission | Noted and same is being complied. Agreed to Comply Attachment:NA |  |
| PPs Submission | Noted and same is being complied. Agreed to Comply Attachment:NA |           |   |   |                |  |  |

|    |  |  |                |  |
|----|--|--|----------------|--|
|    |  | completed before commissioning of the plant.   |                |  |
| 18 | GREENBELT                              | The proposed 50 ha area proposed for greenbelt outside the project area which is located at a distance of 10 km shall be geotagged. PP shall provide update of the progress and maintenance of the same while submitting 6 monthly compliance report along with photographs. | PPs Submission | Noted and same is being complied<br>Agreed to Comply<br>Attachment:NA  |
| 19 | GREENBELT                              | PP shall ensure that an overall green area of at-least 33% is developed in the Industrial Estate for EC dated 14.09.2017 as per Ministry's OM F. No. 19-74/2020-IA.III dated 27th October, 2020.   | PPs Submission | Noted and will be complied.<br>Agreed to Comply<br>Attachment:NA   |
| 20 | Corporate Environmental Responsibility | "PP proposed to allocate Rs. 5.00 Crores towards Extended EMP (CER) which shall be spent as submitted in CER plan. Further, all the proposed activities under CER shall be completed before the commissioning of the plant in consultation with District Administration"     | PPs Submission | Noted and will be complied.<br>Agreed to Comply<br>Attachment:NA   |
| 21 | MISCELLANEOUS                          | A separate Environmental Management Cell (having qualified person with Environmental Science/ Environmental Engineering/ specialization in the project area) equipped with full-fledged laboratory facilities  | PPs Submission | Environment Management cell is in place and is attached as Annexure-II.<br>Complied<br>Attachment: <a href="#">Click to View</a> |

|    |   |  |                |  |
|----|---|--|----------------|--|
|    |   | shall be set up to carry out the Environmental Management and Monitoring functions.  |                |  |
| 22 | MISCELLANEOUS                           | The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.   | PPs Submission | All fire protection measures as per applicable OISD, PNGRB will be ensured.<br>Agreed to Comply<br>Attachment:NA |
| 23 | AIR QUALITY MONITORING AND PRESERVATION | Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. In case of the treated effluent to be utilized for irrigation/gardening, real time monitoring system shall be installed at the ETP outlet. | PPs Submission | Noted and will be complied.<br>Agreed to Comply<br>Attachment:NA   |
| 24 | Human Health Environment                | PP to set up occupational health Centre for surveillance of the worker's health within and outside the plant on a regular basis. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.   | PPs Submission | Noted and will be complied.<br>Agreed to Comply<br>Attachment:NA   |
| 25 | AIR QUALITY MONITORING AND PRESERVATION | The National Emission Standards for Petrochemical (Basic & Intermediates) issued by the Ministry vide G.S.R. 820 (E) dated 9th November, 2012  | PPs Submission | Noted and will be complied.<br>Agreed to Comply<br>Attachment:NA   |

|    |   |   |                |  |
|----|---|---|----------------|--|
|    |   | as amended time to time shall be followed.  |                |  |
| 26 | Risk Mitigation and Disaster Management | Recommendations of mitigation measures from possible accident shall be implemented based on Risk Assessment studies conducted for worst case scenarios using latest techniques.   | PPs Submission | Noted, recommendations coming out of QRA shall be complied. Agreed to Comply Attachment:NA   |
| 27 | MISCELLANEOUS                           | "The project proponent shall develop R& D facilities to develop their own technologies for propylene and polypropylene processing."   | PPs Submission | Noted and will be complied. Agreed to Comply Attachment:NA   |
| 28 | MISCELLANEOUS                           | PP shall sensitize and create awareness among the people working within the project area as well as its surrounding area on the ban of Single Use Plastic in order to ensure the compliance of Notification published by MOEFCC on 12th August, 2021. A report along with photographs on the measures taken shall also be included in the six-monthly compliance report being submitted to concerned authority. | PPs Submission | Noted, Required awareness will be carried out and measures taken will be included in the six monthly compliance report. Agreed to Comply Attachment:NA |

### General Conditions

| Sr.No. | Condition Heading            | Condition Details  | Status of Compliance,Remarks / Reason and Supporting Documents |  |
|--------|------------------------------|--|--|--|
| 1      | ENERGY PRESERVATION MEASURES | The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment. | PPs Submission   | Noted and will be complied. Agreed to Comply Attachment:NA |

|   |                               |   |                |  |
|---|-------------------------------|---|----------------|--|
| 2 | Noise Monitoring & Prevention | The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).  | PPs Submission | "Noted and will be complied. Currently the project construction has not been started. Once it will start, Noise monitoring will be carried out and report will be submitted along with six monthly report."<br>Agreed to Comply<br>Attachment:NA |
| 3 | MISCELLANEOUS                 | No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any. | PPs Submission | Noted, No further expansion or modifications will be carried out in the plant without prior approval from the MOEF&CC/SEIAA.<br>Agreed to Comply<br>Attachment:NA  |

|   |  |   |                |  |
|---|--|---|----------------|--|
| 4 | Corporate Environmental Responsibility | The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.  | PPs Submission | Noted and will be complied.<br>Agreed to Comply<br>Attachment:NA   |
| 5 | MISCELLANEOUS                          | The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose. | PPs Submission | Noted and will be complied.<br>Agreed to Comply<br>Attachment:NA   |
| 6 | MISCELLANEOUS                          | A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from  | PPs Submission | EC copy submitted to the nearby villages for their information and display.<br>Correspondence of the same is attached as Annexure-I.<br>Complied |

|   |                      |   |                |   |
|---|----------------------|---|----------------|---|
|   |                      | whom suggestions/ representations, if any, were received while processing the proposal.   |                | Attachment: <a href="#">Click to View</a>   |
| 7 | MISCELLANEOUS        | The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.                 | PPs Submission | "Noted and will be complied. A copy of EC has been uploaded on company website." Agreed to Comply Attachment:NA   |
| 8 | Statutory compliance | The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail. | PPs Submission | Currently the project construction has not been started. Once the construction will be completed and the project will be integrated with the existing terminal, Form -V for the same will be submitted. Although Form-V for the existing terminal is being submitted every year. Being Complied Attachment:NA |



|                |  |  |   |                |  |
|----------------|--|--|---|----------------|--|
| 9              | MISCELLANEOUS  | <p>The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at <a href="https://parivesh.nic.in/">https://parivesh.nic.in/</a>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.</p> | <table border="1"> <tr> <td data-bbox="847 91 1091 483">PPs Submission</td> <td data-bbox="1091 91 1334 483"> <p>Published in the two local newspaper dated 14.03.2024. Copy of the same is attached as Annexure III. Complied Attachment: <a href="#">Click to View</a></p> </td> </tr> </table> | PPs Submission | <p>Published in the two local newspaper dated 14.03.2024. Copy of the same is attached as Annexure III. Complied Attachment: <a href="#">Click to View</a></p> |
| PPs Submission | <p>Published in the two local newspaper dated 14.03.2024. Copy of the same is attached as Annexure III. Complied Attachment: <a href="#">Click to View</a></p> |  |   |                |  |
| 10             | MISCELLANEOUS  | <p>The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.</p>  | <table border="1"> <tr> <td data-bbox="847 1236 1091 1413">PPs Submission</td> <td data-bbox="1091 1236 1334 1413"> <p>Noted for compliance. Agreed to Comply Attachment:NA</p> </td> </tr> </table>  | PPs Submission | <p>Noted for compliance. Agreed to Comply Attachment:NA</p>  |
| PPs Submission | <p>Noted for compliance. Agreed to Comply Attachment:NA</p>  |  |   |                |  |
| 11             | MISCELLANEOUS  | <p>This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.</p>   | <table border="1"> <tr> <td data-bbox="847 1666 1091 1843">PPs Submission</td> <td data-bbox="1091 1666 1334 1843"> <p>Noted for Information. Agreed to Comply Attachment:NA</p> </td> </tr> </table>   | PPs Submission | <p>Noted for Information. Agreed to Comply Attachment:NA</p>   |
| PPs Submission | <p>Noted for Information. Agreed to Comply Attachment:NA</p>   |  |   |                |  |

### Document uploaded by the PP

**Last Site Visit Report (if available)**

NA

**Last Site Visit Report Date (if available)**

**Additional Attachment (if any)**

NA

**Additional Remarks (if any)**

- I 'PETRONET LNG LIMITED (PLL)' hereby give undertaking that the data and information given in the filed compliance and enclosures are true to be best of my knowledge and belief and I am aware that if any part of the data and information found to be false or misleading at any stage, the clearance given to the project will be revoked at our risk and cost. In addition to above, I hereby give undertaking that no activity such as change in project layout, construction, expansion, etc. has been taken up without due approval.

### Cover Letter From RO/SRO





**Cover Letter From RO/SRO**

NA

Back

**Communication for grant of Environmental Clearance for setting up  
Petrochemical Complex**


મેસર્સ પેટ્રોનેટ LNG લિમિટેડ (PLL) દ્વારા પેટ્રોનેટ એલએનજી ટર્મિનલ, દહેજ, ભરૂચ, ગુજરાત ખાતે "પેટ્રોકેમિકલ કોમ્પ્લેક્સ ની સ્થાપના " માટેની પર્યાવરણીય મંજૂરી આપવામાં આવી છે. પર્યાવરણ, વન અને આબોહવા પરિવર્તન મંત્રાલય દ્વારા EC No. EC24A2101GJ5957048N તારીખ 8મી માર્ચ 2024 ના રોજ મંજૂરી આપવામાં આવેલ છે. પર્યાવરણીય મંજૂરીની નકલ તમને સંદર્ભ અને પ્રદર્શન માટે સોપવમા આવી છે.

| ક્રમાંક | ગામનું નામ | તાલુકાનું નામ | તલાટીશ્રી / સરપંચશ્રી નું નામ                                      | હસ્તાક્ષર તલાટીશ્રી / સરપંચશ્રી  |
|---------|------------|---------------|--|--|
| ૧       | લખીગામ     | વાગરા         | Sarpanch:<br>Amorsinh Rathod<br>Talaati:<br>Dukasinh Ranv          | પરમાર ભરૂચ, પી<br>OHE...<br>                                      |
| ૨       | લુવારા     | વાગરા         | Sarpanch:<br>Ishwarbhai<br>Talaati -<br>Anupbhai Modi              | <br>સરપંચ<br>ગામ પંચાયત - લુવારા<br>તા. વાગરા, જી. ભરૂચ          |
| ૩       | અંબેશા     | વાગરા         | Sarpanch:<br>Shilpaaben Rathod<br>Talaati:<br>Vikramsinh Chavda    | <del>Noted</del>   |
| ૪       | જાગેશ્વર   | વાગરા         | Sarpanch -<br>Najimbhai Keshikhi<br>Talaati -<br>Vikramsinh Chavda | <br>સરપંચ<br>ગામ પંચાયત - જાગેશ્વર<br>તા. વાગરા, જી. ભરૂચ       |
| ૫       | દહેજ       | વાગરા         | Sarpanch<br>Jaydisinh Rane<br>Talaati<br>Vijaybhai Rane            | <br>તલાટી કમ મંત્રી<br>ગામ પંચાયત - દહેજ<br>તા. વાગરા, જી. ભરૂચ |



# Annexure-II

## EMC Organogram – PLL, Dahej



*N. Reddy*  
30/05/2024  
*Nishant Babu*

GUJARAT

Vadodara ex-cricketer arrested for cheating

EXPRESS NEWS SERVICE VADDARARA, MARCH 13

A WEEK after two cases of cheating were lodged against a former Ranji cricketer from Vadodara, Rishi Arothe, the Special Operations Group (SOG) of the city police on Wednesday arrested him from a hotel at Thane near Mumbai.

Inspector V S Patel of the SOG, said, "After two cases of cheating were filed against Rishi at Manjalpur and Raopura police stations, multiple police teams had fanned out to Bangalore, Goa and Mumbai to track him down."

"Based on technical surveillance and inputs from human sources, as well as by tracking the IP address, he was traced to hotel in Thane. He was detained on March 12 (and brought to Vadodara) where he was formally arrested by Manjalpur police station on Wednesday," he added.

Following his arrest by the Manjalpur police in the case of cheating, his custody will be sought by the Raopura police in the second case, said police.

On March 5, Manjalpur po-



Rishi Arothe was arrested by the Special Operations Group on Wednesday, Express

lice station had booked Rishi and three others in an alleged case of criminal conspiracy and cheating in a city-based business of Rs 29.5 lakh on the pretext of setting up a club in Goa.

The following day, an aspiring cricketer from Fanchmal district, had approached the Raopura police station in Vadodara and filed a complaint of cheating against Rishi stating that he had duped him of Rs

5.27 lakh by promising him a spot in the Indian Premier League. On March 4, the SOG had arrested Rishi's father Tushar Arothe - former coach of the India women's cricket team - after cash of Rs 1 crore was seized from his house at Pratapgunj in Vadodara. Investigation had revealed that Rishi had sent the cash to his father from Nashik via an angadia service.

AMRELI

Protests, detentions mar public hearing on environmental clearance to copper plant

GOPALKATESHIYA RAJKOT, MARCH 13

PROTESTS AND detention of 11 people marred the public hearing on granting environmental clearance (EC) to the proposed integrated copper smelter and fertiliser plant of Indo Asia Copper Limited (IACL) in a village in Amreli on Wednesday. Amid objections from locals that the plant is coming up "in heritory" the public hearing was organised by the Gujarat Pollution Control Board in Lunsapur village in Jafraabad taluka.

The GPCB aimed to ascertain the public view on the grant of clearance to the proposed project at the hearing, which began at 11 am. However, police had to intervene after some locals started protesting in a manner which affected the hearing. Amreli District Collector Ajay Dahiya said, "As per a report we have received from the police, the protesters hounded and started raising slogans. They even threw chairs which were arranged at the venue, and thus prevented others from making their submissions. So, police had to detain 11 people from the venue," Dahiya told The

Indian Express.

Hareesh Vora, Deputy Superintendent of Police of Savarkunda division in Amreli, said that protesters became "unruly", forcing police to intervene. "Despite repeated requests to not disturb others who wanted to make submissions at the hearing, the protesters continued their unruly behaviour and therefore we had to detain them so that the hearing could proceed as per law," Vora said. He added that the protesters were taken to the Rajula police station and that they were released after the hearing was over at 2:30 pm.

The GPCB sought clearance to set up an integrated copper and fertiliser plant on the land abutting coastal Lunsapur and Lohpur villages of Jafraabad at an estimated cost of Rs 15,689 crore. The proposed plant is set to be the largest in Gujarat, as per the firm, having the capacity to produce 10 lakh tonnes of copper and 16.5 lakh tonnes of fertiliser annually. It will be the third copper smelter in the world, after the 2.5-lakh-tonnes-per annum (TPA) copper smelter of Hindalco in Dahanu in Bharuch district and the newly set up 1.75 TPA smelter set up by Adani in Mundra in Kutch. The company proposes



Protest at the public hearing at Lunsapur in Amreli, Express

to set up the plant on 161.58 hectares (ha). Meanwhile, locals alleged that police interfered in the public hearing. "Copper smelters pollute air, land and water and the IACL has hired executives under whose watch the Hindalco plant in Dahanu received 60 notices of flouting pollution norms. People want to protest against the plant as the company proposes to use old technologies for smelting copper and manufacturing fertiliser. Displaying banners is one way to protest. But police didn't allow that and police officers constantly kept asking people to submit on one particular line only," Jaydeep Dhakda (26), a farmer from Chhatadiya village adjoining Lohpur, told The

Indian Express. As per the draft environmental impact assessment (EIA) report submitted by the firm to the GPCB, the site of the proposed project is 26 km away from the boundary of Gir National Park and Wildlife Sanctuary - the world's last abode for Asiatic lions. The firm said that lion movement was recorded at the site during the study to prepare the draft EIA. "There are several species of aquatic birds in this pond, which include Small Indian Cormorants, Indian Shags, Pond Herons, Spotted Ducks, Cotton Teals, Lesser Indian Reef Herons, White-breasted Water Hens, Kingfishers, etc. For all the Schedule-I species reported within the study area, a site-specific Wildlife conservation

plan has been prepared by an External Expert agency and submitted to the Forest Department for approval," reads the draft EIA, adding that the plant will involve an initial investment of Rs 1,302 crore for controlling pollution and recurring annual expenditure of Rs 21.6 crore for the same purpose. Mehul Barasara, Sub-Divisional Magistrate of Rajula, said that people argued in favour and against the proposed plant. "Around 35 people made oral submissions and 32 others made written submissions. Some people favoured the proposed project, saying it would be good for employment opportunities for the locals. However, others opposed, expressing apprehensions that it will be a polluting industry and that lions' habitat will be affected," Barasara, who presided over the public hearing, said. Alisha Rathod, regional officer of GPCB's office in Bhavnagar, said that IACL has submitted a wildlife management plan to the state forest department for clearance. "The company did submit a wildlife management plan to us but we sought details as to how the plan will be funded. The company is yet to get back to us," a senior forest officer said.

First-of-its kind sewage treatment unit unveiled in Vadodara

EXPRESS NEWS SERVICE VADDARARA, MARCH 13

THE GUJARAT Pollution Control Board (GPCB), in association with the Padra Industries Association and Farmers' Action Group, on Wednesday inaugurated a first-of-its-kind 'Unconventional Decentralized Multi-Stage Reactor' (UDMSR) for sewage treatment in Luma village of Padra taluka of Vadodara. The unit will facilitate the treatment of sewage for agricultural purposes. The 25 Kilolitre per day (KLD) UDMSR system installed in Luma is a pilot-scale project and will be

replicated in urban areas, said officials. The technology has been developed by Upendra Patel, a professor at the Civil Engineering Department, Faculty of Technology and Engineering of Maharaja Sayajirao University. Patel holds a PhD in Environmental Science and Engineering from The Indian Institute of Technology (IIT), Mumbai. The GPCB signed a Memorandum of Understanding (MoU) with Upendra Patel after a series of meetings with Rohit Prasad of Panvaran Suralbha Samiti to install the UDMSR technology in Luma, officials added. "The pilot-scale UDMSR sys-



Inauguration of UDMSR in Vadodara, on Wednesday, Bhupendra Rao

tem set up in the village Luma is designed to treat 25 KLD of sewage servicing a population of about 400-500 people. The design of UDMSR is modular in nature, which means that it can be modified easily to accommodate more flow in the future.

The plant has been running continuously since December 2023 and treated about 14 million litres of sewage with efficient Chemical Oxygen Demand (COD) and Biochemical Oxygen Demand (BOD) ranging from 10-20 mg/L and 2-3 mg/L. The plant

is also tested for up to two times the design flow capacity and its performance has been found to be very consistent," Patel said. Patel added that the UDMSR can be used for the treatment of domestic sewage in rural areas. "The design of UDMSR is modular and each individual segment can be removed or cleaned without any interruption of the operation and maintenance of UDMSR do not require any daily computations or analyses, and hence, no skilled labour is required. The only requirement is to be with the operation of pumps. In areas with a scarcity of electricity, solar panels may be installed

above the reactor. Thus, the UDMSR is a low-cost and reliable treatment system for domestic sewage requiring minimal energy and supervision," Patel added. Since 2011, groundwater contamination due to industrial effluent has been a cause of concern in Luma village, which is known for its drumslick production while Padra is considered a "vegetable bowl" of the state. "The UDMSR is currently a project to treat sewage water but we are also actively working on the issue of effluent dumping and the groundwater contamination in the area," Prasad said. The cost of installation of the

pilot plant ranges from Rs 35,000 to Rs 40,000 per KLD capacity as well as additional costs of electricity and operator salary and maintenance costs of pumps and equipment. Members of the Padra Industries Association assumed the responsibility for the installation of the system while a farmer living adjacent to the site was involved in the operation of the system.

Bhaskara University Invites Applications for Ph.D. Programme July 2024. Last Date of Application 31/05/2024. For further details contact: bhaskarauniversity@gmail.com

Table with columns: Sl. No., Folio No., Name of Shareholders, Distinctive No., Certificate No., Shares. Lists shareholders of Kumudgar Nigam Ltd.

NATIONAL FERTILIZERS LIMITED (A Govt. of India Undertaking) Corporate Office: A-11, Sector-24, Noida-201301. Phone: 0120-2412294, 2412445; Fax: 0120-2412218. e-PROCUREMENT NOTICE

CH. CHARAN SINGH UNIVERSITY, MEERI (NAAC ACCREDITED WITH A+ Grade) RECRUITMENT NOTICE. Online applications are invited from eligible candidates per UGC notification 18 July 2018 and subsequent UG Government order No. 1190/mer-1-2019-16(114/2010) dated 15 Oct 2019 and first Status of University as amended from time to time for appointment in the various departments in the University.

NTPC Limited (A Govt. of India Enterprise) Corporate Identification Number: L40101DL1975GCL0007986. Attention Vented DEBENTURE HOLDERS OF NTPC LTD. Pursuant to Section 125 of the Companies Act, 2013 (the Act) read with Regulation 61A of Securities and Exchange Board of India (Listing Obligations and Disclosure Requirements) Regulations, 2015 (the Regulations), the Company is required to transfer the amount of unpaid interest which remains undisturbed for a period of seven (7) years from the date of transfer of the escrow account to the credit of the Investor Education and Protection Fund (IEPF) set up by the Central Government.

Petronet LNG Limited NOTICE INVITING TENDER (NIT) FOR SELECTION OF CONTRACTOR FOR UPGRADATION OF BRITING AND SYSTEM OF NORTH AND SOUTH JETTY AT PETRONET LNG LIMITED, DAHEJ

Petronet LNG Limited NOTICE INVITING TENDER (NIT) FOR SELECTION OF CONTRACTOR FOR UPGRADATION OF BRITING AND SYSTEM OF NORTH AND SOUTH JETTY AT PETRONET LNG LIMITED, DAHEJ. Interested parties are requested to visit our website www.petronetlmg.in for detailed eligibility criteria along with other necessary details for issuance of tender document.

TATA POWER DELHI DISTRIBUTION LIMITED A Tata Power and Delhi Government Joint Venture. NOTICE INVITING TENDERS March 14, 2024. TATA Power-QOL invites tenders as per following details:

Financial Year, Nature of Payment, Due date for transfer to IEPF. Table with columns: Financial Year, Nature of Payment, Due date for transfer to IEPF. Rows: 2017-18, 2018-19, 2019-20.

SBI STATE BANK OF INDIA Stressed Assets Recovery Branch (SARB) (05181), First Floor, Rama Artima, 42, Sardar Patel Nagar, Nr. Gheem Cosh Drinks Cross Road, Nr. Samrastra Area, Off. G.D. Road, Ellisbridge, Ahmedabad-380006. A notice is hereby given that the following borrower(s) in the repayment of principal and interest of the loans facilities obtained by them from the Bank and the loans have been classified as Non-Performing Assets (NPA). The notices were issued to them under Sub-section 13(1) of Securitisation and Reconstruction of Financial Assets and Enforcement of Security Interest Act, 2002 in their last known communication, but they have been returned unopened and as such are hereby informed by way of this public notice.

SRG HOUSING FINANCE LIMITED CIN: L65222RJ1999PLC015440 SYMBOLIC POSSESSION NOTICE. The undersigned being the authorized officer of SRG Housing Finance Limited, 321, SM Lodha Complex, Near Shastri Circle, Ujjain - 393001 ( Rajasthan), under the Securitisation And Reconstruction of Financial Assets and Enforcement of Security Interest Act, 2002 and in pursuance of power conferred under section 13(1) of the Securitisation and Reconstruction of Financial Assets and Enforcement of Security Interest Act, 2002, hereby issues to the borrower(s) borrower(s)/mortgagor(s) and the public in general, that the undersigned has taken symbolic possession of the properties described herein below in exercise of powers conferred on him under section 13(1) of the said Act, read with rule 4 of the said rules, on the dates mentioned against each account. The borrower(s) borrower(s)/mortgagor(s) in particular and public in general are hereby cautioned NOT to deal with the properties and any dealing with the properties will be subject to the charge of SRG Housing Finance Limited, 321, SM Lodha Complex, Near Shastri Circle, Ujjain - 393001. For the amounts mentioned below shall future interest and cost charges thereon with the realisation.

NTPC Ltd. has issued its Bonus Debentures in March 2015 and as on date, certain Debentures are lying unclaimed. Investors are also requested to check the details of such Debentures under "Investors' Section of the website, www.ntpc.co.in and lodge the claim with the RTA / Company at the address indicated above. Investors may also note that Section 125 of the Act requires a company to transfer all retained debentures with the company in the name of "Fund" which remained unpaid and unclaimed for a continuous period of 7 years. Accordingly, all unclaimed debentures will be transferred to the "Fund" meeting the aforesaid criteria. Debenture holder(s) are requested to keep their email ID and other relevant details updated with their Depository Participant (DP), in case of bonds held in dematerialized form and the Company/RTA, in case of bonds held in physical form.

# યુવા-શિક્ષણ-રોજગાર

દિવસ ભારત, અમદાવાદ, તુષાર, 14 માર્ચ, 2024

## આજની પ્રેરણા

ઊંચાઈ તો શરીરની મપાય છે, સપનાંની નહિ, અને તે જોવા માટે જોઈએ માત્ર...

## દંદ મનોબળ



એક વાર ઊંચી જાયએથી કોઈ વસ્તુ ઉતારી આપવાર સંવેદનને મનોબળને કહ્યું હતું કે, તું ઊંચી નથી, પણ કરતાં નથી સંવેદન વધુ છે. ઊંચાઈ અને લંબાઈની આ દિશાઓને સમજાવ જ્યારે મોટાપુસ્તકો ધબધબ અટકાવે કરીને 12 આરસની પરીક્ષા આપી રહ્યા છે. ઊંચાઈ ન વધવાની સમસ્યાથી સુખ આસરે છે. 10માં 65 ટકા મેળવ્યા હતા. અગાઉ તેને માન શબ્દો આપવા પરીક્ષાની તેમણે કસબી રહ્યા છે. જોકે પરિવારને અવગણ્ય તેમણે અને તેની શારીરિક સ્થિતિ આ પ્રકારની હોવાથી ભણવું અસરકારક હતું. પરંતુ શિક્ષકશ્રેણીને અવગણ્ય તેને ઉત્સાહ જોઈ અંગત આભાસ માટે પ્રેરિત કર્યા હતા. **શ્રીચંદ્ર પ્રસાદ ભટ્ટ**

## બોર્ડની બુધવારની પરીક્ષાનાં તમામ પેપર પાઠ્યપુસ્તક આધારિત પુછાયા કેમિસ્ટ્રીના બે પ્રશ્નમાં ભૂલ, ધોરણ 10નું ગણિત, અર્થશાસ્ત્રનું પેપર સરળ પુછાયાં

કેમિસ્ટ્રીનું પેપર સરળ હોવાનું વિષય નિષ્ણાત ડૉ. જી. શર્માએ જણાવ્યું હતું. જે કે તેમણે ઉમેર્યું કે, કેમિસ્ટ્રીમાં બે માર્કના પ્રશ્નમાં ભૂલો હતી. પેપર સેટ નેબર ક્લાં પાઈ-એના પ્રશ્ન 3માં વેપટર 13ના એમમાં ડિપ્લો-ડ વિષય પરના પ્રશ્નમાં અપવાદો કુલ ચારમાંથી એક વિકલ્પના બદલે બે વિકલ્પ આપ્યા હતા. જ્યારે અંગ્રેજી માધ્યમમાં સેટ નંબર આઠમાં પાઈ એના પ્રશ્ન 7માં વેગના દરના બદલે વેગ અચળતા છપાવ્યું હતું. સેક્ષન બીમાં અંગ્રેજી માધ્યમમાં સેટ નંબર 10ના પ્રશ્ન 1માં ડિનેનાલની જગ્યાએ ડિનેનોલ છપાવ્યું હતું.

અર્થશાસ્ત્રમાં બેલેન્સિંગ, ગરીબી જેવા બે-ત્રણ પ્રશ્નને બાદ કરતાં પેપર સરળ અર્થશાસ્ત્ર વિષયના નિષ્ણાત ડૉ. રાજેન્દ્ર ઉપાધ્યાયે જણાવ્યું કે, પ્રશ્નપત્ર પુસ્તક આધારિત સરળ હતું. સેક્ષન એમાં 20 માંના અનુવેશિક પ્રશ્નોમાં બેલેન્સિંગ, ગરીબી સંબંધિતના બે-ત્રણ પ્રશ્નને બાદ કરતાં મોટા ભાગના પ્રશ્નો વિદ્યાર્થીનો સરળ લાગ્યા હતા. સેક્ષન બીમાં મોટા ભાગના વિદ્યાર્થીને ખાસ તકલીફ પડી ન હતી. સેક્ષન સી. ડી. અને ઈના પ્રશ્નોમાં આ વર્ષે જનરલ આંધાન હોવાથી વિદ્યાર્થીઓ ગમતા. પ્રશ્નોની પસંદગી કરી લખી શક્યા હતા. સેક્ષન ઈમાં પુછાયેલો સાકાને પ્રશ્ન સરળ તેમ જ ખૂબ દૂરો હતો.

## ધો. 10ની પરીક્ષામાં 20958 વિદ્યાર્થી ગેરહાજર બોખરાની સ્કૂલમાં મોબાઈલથી ચોરી કરતી વિદ્યાર્થીની પકડાઈ

કેમિસ્ટ્રીના ડિવેન્દર અમદાવાદ શહેર ડીઈઓ હસાનકા પદવિહારીએ એક કાર્ટરિયા બોખરા વિસ્તારમાં પ્રવેશી વિદ્યાર્થીનીને મોબાઈલ ફોનની મદદથી ચોરી કરતા પકડી રાખી હતી. સવાના સમયમાં ધોરણ 10ના બેલેન્સિંગ મેકનની પરીક્ષા આપી રહેલી આ વિદ્યાર્થીની ફોનના માધ્યમથી કોઈ કરવાનો પ્રયત્ન કરી રહી હતી. તે સમયે પરીક્ષા કેન્દ્રના પ્રિન્સિપાલે આ પ્યારમાં આ આખત આવી ગઈ હતી. જેથી કોર્પો કેસ કરાવે હતા. પરીક્ષામાં શિક્ષક બોધના પદવિહારીએ એનું શિક્ષણ વિદ્યાર્થીનીને પ્રિન્સિપાલે મોકલવાનું આજ્ઞા કરાવ્યું હતું.

ઈન્ડિયન આર્મીમાં અભિનવ તરીકે જોડાવા માંગતા ઉમેદવારો 22 માર્ચ સુધી અરજ કરી શકશે. અમદાવાદની મદદનીશ નિયામક (રોજગાર)ની ક્વેરી માટે નિયુક્તિ આનવાઈન અરજી તેમ જ ભરતી પ્રક્રિયા અંગેની માહિતી અને માનદર્શન આપશે. અભિનવની ઓનલાઈન પરીક્ષા 22 એપ્રિલથી શરૂ થશે. ભરતીમાં આજ્ઞા આજુ પોરલ કાયા, આઈટીઆઈ ઉમેલોના ધો. 10 યાસ. 12 સાબત વાસ ઉમેદવારો અરજી કરી શકશે.

## બોર્ડની પરીક્ષામાં બુધવારે 11 કોપી કેસ નોંધાયા

અમદાવાદ ઉપરાંત રાજ્યનાં અન્ય પરીક્ષા કેન્દ્રો પર ધો. 10 બોર્ડની પરીક્ષા દરમિયાન 11 કોપી કેસ નોંધાયા હતા. અમદાવાદ, સુરત, ગાંધીધામ, જુહાપુરામાં કુલ ચાર કોપી કેસ નોંધાયા છે. જ્યારે ધોરણ 12 સાબત પ્રવાહની પરીક્ષા દરમિયાન જામનગરમાં એક કોપી કેસ તેમ જ આણંદમાં ચાર કોપી કેસ નોંધાયા છે. બીજા તરફ ધોરણ 12 સાબતની પરીક્ષામાં સુરતમાં એક કોપી કેસ નોંધાયો છે.

**કોમ્પ્યુટર બિડ** **બી કોમ્પ્યુટર કોમર્સિયલ કો-ઓપરેટિવ ઍજ ઍસોસિએશન લિમિટેડ** **બી સી સોલ્યુશન્સ પ્રાઇવેટ લિમિટેડ** **બી સી સોલ્યુશન્સ પ્રાઇવેટ લિમિટેડ**

બી સી સોલ્યુશન્સ પ્રાઇવેટ લિમિટેડ, ઈન્ફોર્મેશન ટેકનોલોજી, આર.આર. સી, અમદાવાદ-૧૫. **બી સી સોલ્યુશન્સ પ્રાઇવેટ લિમિટેડ** **બી સી સોલ્યુશન્સ પ્રાઇવેટ લિમિટેડ**

**બી-૧૫ કમ્પ્યુટર કોમર્સિયલ કો-ઓપરેટિવ ઍજ ઍસોસિએશન લિમિટેડ** **બી સી સોલ્યુશન્સ પ્રાઇવેટ લિમિટેડ** **બી સી સોલ્યુશન્સ પ્રાઇવેટ લિમિટેડ**

બી સી સોલ્યુશન્સ પ્રાઇવેટ લિમિટેડ, ઈન્ફોર્મેશન ટેકનોલોજી, આર.આર. સી, અમદાવાદ-૧૫. **બી સી સોલ્યુશન્સ પ્રાઇવેટ લિમિટેડ** **બી સી સોલ્યુશન્સ પ્રાઇવેટ લિમિટેડ**

બી સી સોલ્યુશન્સ પ્રાઇવેટ લિમિટેડ, ઈન્ફોર્મેશન ટેકનોલોજી, આર.આર. સી, અમદાવાદ-૧૫. **બી સી સોલ્યુશન્સ પ્રાઇવેટ લિમિટેડ** **બી સી સોલ્યુશન્સ પ્રાઇવેટ લિમિટેડ**

**પેટ્રોનેટ એલએનજી લિમિટેડ**

અમદાવાદ શહેર ડીઈઓ હસાનકા પદવિહારીએ એક કાર્ટરિયા બોખરા વિસ્તારમાં પ્રવેશી વિદ્યાર્થીનીને મોબાઈલ ફોનની મદદથી ચોરી કરતા પકડી રાખી હતી. સવાના સમયમાં ધોરણ 10ના બેલેન્સિંગ મેકનની પરીક્ષા આપી રહેલી આ વિદ્યાર્થીની ફોનના માધ્યમથી કોઈ કરવાનો પ્રયત્ન કરી રહી હતી. તે સમયે પરીક્ષા કેન્દ્રના પ્રિન્સિપાલે આ પ્યારમાં આ આખત આવી ગઈ હતી. જેથી કોર્પો કેસ કરાવે હતા. પરીક્ષામાં શિક્ષક બોધના પદવિહારીએ એનું શિક્ષણ વિદ્યાર્થીનીને પ્રિન્સિપાલે મોકલવાનું આજ્ઞા કરાવ્યું હતું.

**ગરવી ગુર્જરી**

હરતકલા પ્રદર્શન અને વેચાણ

૧૧ થી ૨૧ માર્ચ, ૨૦૨૪

સમય : સવારે ૧૧ થી રાત્રે ૬

અમદાવાદ હાટ, વરઘાપુર તલાવ પાસે, અમદાવાદ

**કોમ્પ્યુટર બિડ** **બી કોમ્પ્યુટર કોમર્સિયલ કો-ઓપરેટિવ ઍજ ઍસોસિએશન લિમિટેડ** **બી સી સોલ્યુશન્સ પ્રાઇવેટ લિમિટેડ** **બી સી સોલ્યુશન્સ પ્રાઇવેટ લિમિટેડ**

બી સી સોલ્યુશન્સ પ્રાઇવેટ લિમિટેડ, ઈન્ફોર્મેશન ટેકનોલોજી, આર.આર. સી, અમદાવાદ-૧૫. **બી સી સોલ્યુશન્સ પ્રાઇવેટ લિમિટેડ** **બી સી સોલ્યુશન્સ પ્રાઇવેટ લિમિટેડ**

**ડો.ઓર્થો**

આયુર્વેદિક ઓઇલ, કપ્સુલ્સ, સ્પ્રેય & ઓઇન્ટમેન્ટ

ગુણકારી આયુર્વેદિક તેલોથી બનેલ ડો. ઓર્થો તેલ સાંધાના દુખાવાને મૂળમાંથી ઘટાડવામાં ખાસ સહાયતા કરે છે. માત્ર ૧-૧૦ મિલી તેલ દિવસમાં માત્ર એક અથવા બે વાર હળવા હાથોથી પીડિત અંગ પર માલિશ કરો. પરિણામ પ્રથમ દિવસથી જ દેખાશે.

ઘુંટણનો દુખાવો, ખભાનો દુખાવો, ગરદનનો દુખાવો, કમરનો દુખાવો અને કાંડાના દુખાવા વગેરે માં સહાયક આયુર્વેદિક ઓઇલ

**Dr. Ortho**

24x7 Helpline: 7876977777

www.drorthooil.com

**રોજ-રોજ પેટની તકલીફો માટે બાહ્ય ઉપચાર કેમ?**

ઝંડુ પંચારિષ્ટ કરે પાચનને જલદી મજબૂત અને આપે લાંબી રાહત.

**પાચન ક્વચ**

35 આયુર્વેદિક તત્વ

**ZANDU Pancharishta**

જ્યારે પેટની તકલીફો વારંવાર થાય, તો કેમિકલ યુક્ત દવાઓથી તરત રાહત મેળવવી મુશ્કેલી સાબર છે. આ લાગણી નાશ કરવા માટે પાચનની સિસ્ટમને ટેલે અને તેને મજબૂત કરવા માટે પાચનશાસ્ત્રીઓ ઉપચાર. ઝંડુ પંચારિષ્ટના 35 આયુર્વેદિક તત્વોનો અનોખો મિશ્રણ પાચનને જલદી મજબૂત કરે અને આપે લાંબી રાહત. ઝંડુ પંચારિષ્ટ 2 રચનાથી દરરોજ દિવસમાં બે વાર, 30 દિવસ સુધી નિયમિત લેવાથી પેટની દરેક સમસ્યાનું સચોટ સમાધાન મેળવે. આને જ તમે ઈશ્વરનો ઝંડુ પંચારિષ્ટ, તમારા સ્વચ્છ પાચનનો સચોટ સમાધાન મેળવે.

**સ્વચ્છતાની સ્પર્ધા છે, આવો આપણા અમદાવાદને રંગીએ સ્વચ્છતાને રંગ**

સ્વચ્છતા માટે જાગૃતિ લાવવા અને પર્યાવરણ ઠરાવવાના પ્રયત્નો માટે પ્રોત્સાહિત કરવા

**ગ્રીન સ્પર્ધ સોસાયટી લીગ**

શહેરનાં ૭ ગોળનાં ૪૮ વૉર્ડમાં આયોજન

ટેનામેન્ટ-ગંગલોની સોસાયટીઓ, હાઈરાઈઝ રહેણાંક ડિવિઝન, ગામતણાના વિસ્તારો તથા પોલી

રિવ્યૂઝ રીયુઝ રીસાયકલ

આ સ્પર્ધામાં ગોળ-વૉર્ડ સુવર્ણ સોસાયટીઓનું સ્વિકૃત્તિશન કરવાનું રહેશે.

વધુ માહિતી માટે અમદાવાદ મ્યુનિસિપલ કોર્પોરેશનની વેબસાઈટ [www.ahmedabadcity.gov.in](http://www.ahmedabadcity.gov.in) અને સોશિયલ મીડિયા પ્લેટફોર્મ ટે સાથે આપેલ QR Code સ્કેન કરી સ્વિકૃત્તિશન કરો.

વિગતે સોસાયટીઓને જ.મુ.કો. ડાસા ઈનામ પુસ્તકરૂપે સોસાયટી કામો માટે સહાય રકમ તથા પ્રમોટિવિપન સાધવામાં આવશે. જ.મુ.કો.ના લિસ્ટનો સંસ્કરણ

અમદાવાદ મ્યુનિસિપલ કોર્પોરેશન [www.ahmedabadcity.gov.in](http://www.ahmedabadcity.gov.in) @AhmedabadMC