



An ISO 9001 : 2015
14001 : 2015
45001 : 2018
55001 : 2014
Certified Company

Petronet LNG Limited

Survey No. 347, Puthuvypu P.O.
Kochi - 682 508, Kerala, India.
Tel: +91- 484 - 2757302 Fax: +91- 484-2502264
www.petronetlng.in
CIN L74899DL1998PLC093073
PAN: AAACP8148D. GST: 32AAACP8148D1ZP
27/11/2024

PLL/KOCHI/MoEF&CC/2024-25/02

Additional Principal Chief Conservator of Forests (C)

Ministry of Environment, Forest and Climate Change,
Regional Office (SZ),
Kendriya Sadan, 4thFloor, E&F Wings, 17th Main Road,
Koramangala II Block,
Bangalore – 560034.

Sub: Compliance report to Environment Clearance accorded to the LNG Terminal at Puthuvypu, Kochi.

Ref: Environment Clearance No. J-16011/26/2001-IA-III vide your letters dated 13th March 2006.

Sir,

The Six-monthly compliance report for the above clearance for the period of April to September 2024 is attached.

Thanking You

Sincerely,



Upinder Kumar
27/11/2024
Upinder Kumar

Chief General Manager & Vice President (Plant Head)

Copy: The Environmental Engineer, District office 1, Kerala State Pollution Control Board, Gandhinagar, Kochi – 682 020.

Registered & Corporate Office:

World Trade Centre, First Floor, Barbar Road,
Barakhamba Lane, New Delhi - 110 001 (INDIA)
Tel: +91-11-23411411 / 23472525 Fax: +91 -11-23472550

Dahej LNG Terminal:

GIDC Industrial Estate, Plot No. 7/A, Dahej Taluka:
Vagra Dist. Bharuch - 392130 (Gujarat)
Tel: +91-2641-257249 Fax: +91- 2641-257252

Compliance report of EC & CRZ Clearance No. J-16011/26/2001-IA-III dated 13th March 2006; for the Construction of LNG Import Terminal at Puthuvypeen Island, Kochi, Kerala by M/s Petronet LNG Ltd.

Period: April to September 2024

Sl. No	Condition Type	Condition Description	Compliance Status
1	Specific	All conditions stipulated in the clearance letter dated 2 nd June 2003 should be strictly implemented. Also, all conditions stipulated by the State Coastal Zone Management Authority vide their letter No.1 143/A212005/STED, dated 14th October 2005 should be complied.	All the conditions stipulated in the clearance letter date 02.06.2023 are being complied. Letter No. 4215/B1/2000/STE dated 9th February 2001 does not specify any conditions for compliance. Conditions mentioned in the Letter No.1143/A2/2005/ dated 14.10.2005 from KCZMA are complied. Compliance report attached as Annexure 1 .
2	Specific	No Objection Certificate/consent should be obtained from the Kerala State Pollution Control Board for the enhanced LNG capacity at the terminal, before initiating the project.	Consent to Establish (CTE) with No. PCB/NOC/EK/117/98 dated 17 th September 1999 obtained from PCB before starting the project construction.
3	Specific	The project proponent should ensure that all necessary precautions including installation of Full-containment - Type LNG tank with concrete roof as indicated in the risk analysis report should be implemented.	PLL had constructed two LNG storage tanks, both the tanks are of Full containment type with concrete roofing.
4	Specific	The project proponent should ensure that no additional dredging/expansion or regasification plant will be undertaken for the above project.	PLL will not undertake additional dredging / expansion of regasification plant without approval of MOEF&CC. Dredging operation is completed and maintenance dredging is being carried out by Cochin Port Trust (CoPT).
5	Specific	The budget allocated for environment safeguard measures should not be diverted for any other purpose.	PLL ensures that the budget allocated for environment safeguard will not be diverted for other purposes.
6	Specific	The comprehensive Environmental Impact Assessment report which is under preparation should be completed early and the final report submitted to this Ministry within one year.	Comprehensive EIA report for 2.5 MMTPA Terminal capacity was submitted at MoEF&CC on 16 th February 2001. EIA report for 5 MMTPA capacity was submitted on 22 nd Sept 2011.
7	Specific	Based on the risk analysis, Disaster Management Plan should be prepared and submitted to this Ministry within 6 months.	Updated emergency response & disaster management plan (ERDMP) was submitted along with the half yearly compliance report up to March 2024.

8	General	Construction of the proposed structure should be undertaken meticulously conforming to the existing Central/local rules and regulations including Coastal Regulation Zone Notification, 1991 and its amendments. All the construction designs/drawings relating to the proposed construction activities must have approvals of the concerned State Government Departments/Agencies.	Terminal construction was carried out as per applicable central & local regulations like KSPCB, PESO, F&B, Fire dept., KCZMA etc. All the statutory approvals were taken and submitted with the six-monthly report for the period October 2012 to March 2013.
9	General	The proponent shall ensure that as a result of the proposed constructions, ingress of the saline water into the groundwater does not take place. Piezometers shall be installed for regular monitoring for this purpose at appropriate locations on the project site.	Any incident of saline water ingress to ground water did not happen during construction stage. We have ground water wells installed at two locations inside the terminal for ground water quality monitoring. Latest ground water analysis report is attached as Annexure 2 .
10	General	Handling, manufacturing, storage and transportation of all hazardous chemicals should be carried out in accordance with MSIHC Rules, 1989 and subsequent amendments, all approvals from State and Central nodal agencies including OISD, Chief Controller of Explosives, Chief Inspectorate of Factories must be obtained. A comprehensive contingency plan in collaboration with the concerned authorities must be formulated before commissioning of the project to meet any eventuality in case of an accident.	Plant operation is being carried out in accordance with MSIHC Rules, 1989 and all other applicable regulations. All the approvals and licenses were obtained from statutory bodies and submitted to MOEF&CC with six monthly compliance report for the period October 2012 to March 2013. An emergency response and disaster management plan (ERDMP) has been prepared and being maintained for handling plant emergencies

11	General	<p>A well-equipped laboratory with suitable instruments to monitor the quality of air and water shall be set up as to ensure that the quality of ambient air and water conforms to the prescribed standards. The laboratory will also be equipped with qualified manpower including a marine biologist so that the marine water quality is regularly monitored in order to ensure that the marine life is not adversely affected as a result of implementation of the said project. The quality of ambient air and water shall be monitored periodically in all the seasons and the results should be properly maintained for inspection of the concerned pollution control agencies. The periodic monitoring reports at least once in 6 months must be sent to this Ministry (Regional Office at Bangalore) and State Pollution Control Board</p>	<p>A laboratory with equipment's for water quality analysis and qualified employees is in place.</p> <p>Water & Air quality monitoring is being carrying out with the help of a PCB approved third party lab. Monitoring reports are being submitted to State pollution control board on every month and to MoEF&CC on six monthly basis. Ambient air quality monitoring data for last six months is attached as Annexure 3.</p> <p>Services of a marine biologist is not required as there was a change in the initially proposed project, where sea water intake & discharge is required.</p>
12	General	<p>Adequate provisions for infrastructure facilities such as water supply, fuel for cooking, sanitation, etc. must be provided for the laborers during the construction period in order to avoid damage to the environment, Colonies for the laborers should not be located in the Coastal Regulation Zone area. It should also be fuel wood purpose.</p>	<p>During construction, PLL has provided adequate infrastructure facilities such as water supply, fuel for cooking, sanitation, etc. to the labourers. Labour colonies were not located in CRZ area.</p>
13	General	<p>To prevent discharge of sewage and other liquid wastes into the water bodies, adequate system for collection and treatment of the wastes must be provided. No sewage and other liquid wastes without treatment should be allowed to enter into the water bodies.</p>	<p>STP and septic tanks are provided for treating sewages from buildings. No sewage or waste from PLL are allowed to enter in water bodies. Treated water from STP is used for gardening purpose.</p>
14	General	<p>Appropriate facility should be created for the collection of solid and liquid wastes generated by the barges/vessels and their safe treatment and disposal should be ensured to avoid possible contamination of the water bodies</p>	<p>PLL is not handling the wastes generated from vessels at site. Wastes generated by vessels and tugs are not handled & disposed at PLL premises.</p>

15	General	Necessary navigational aids such as channel markers should be provided to prevent accidents. internationally recognized safety standards shall be applied in case of barge/vessel movements	All the navigation related requirements are maintained by Cochin Port Trust.
16	General	The project authorities should take appropriate community development and welfare measures for villagers in the vicinity of the project site, including drinking water facilities. A separate fund should be allocated for this purpose.	CSR projects are being undertaken by PLL for community development and welfare in nearby villages. CSR report & expenditures during the period, April to September 2024 is attached as Annexure 4 . Separate amount is allocated in budget for these activities.
17	General	The quarrying material required for the construction purpose shall be obtained only from the approved quarries/borrow areas. Adequate safeguard measures shall be taken to ensure that the overburden and rocks at the quarry site do not find their way into water bodies.	Quarrying material was sourced from Government approved quarries during terminal construction. Details regarding this are submitted with six monthly compliance reports for the period October 2012 to March 2013.
18	General	The dredging operations to be undertaken with the prior approval of this Ministry, shall be executed with appropriate safeguard measures to prevent turbidity conditions in consultation with the expert agencies such CWPRS/NIO.	Dredging approval has been taken from MoEF&CC vide their order No. J16011/26/2001- IA-III dated 16th November 2010. Dredging completed & maintenance dredging has been carrying out by ensuring all safeguards.
19	General	For employing unskilled, semi-skilled and skilled workers for the project, preference shall be given to local people.	During the project, PLL had given preference to locals by employing unskilled, semiskilled and skilled worker wherever possible based on their qualification and merits.
20	General	The recommendations made in the Environment Management Plan and Disaster Management Plan, as contained in the Environmental Impact Assessment and Risk Analysis Reports of the project shall be effectively implemented.	All the recommendations from Environment Management Plan (EMP), EIA, Disaster management plan and risk analysis reports are being implemented.
21	General	A separate Environment Management Cell with suitably qualified staff to carry out various environment issues should be set up under the charge of a Senior Executive who will report directly to the Chief Executive of the Company.	PLL has set up an Environment Management Cell (EMC) under Chief General Manager & Vice President (Plant Head) with nominated members from plant departments.
22	General	The project affected people, if any should be properly compensated and rehabilitated	No people affected directly as the project was on uninhabited land.

23	General	The funds earmarked for environment protection measures should be maintained in a separate account and there should be no diversion of these funds for any other purpose. A year wise expenditure on environmental safeguards should be reported to this Ministry.	The fund earmarked for environment management is included in the budget and will not be diverted for other purposes. Expenditures for the FY 2023-24 is submitted to MoEF&CC along with six monthly compliance report dated till March 2024.
24	General	Full support should be extended to the officers of this Ministry's Regional Office at Bangalore and the officers of the Central and State Pollution Control Boards by the project proponents during their inspection for monitoring purposes, by furnishing full details and action plans including the action taken reports in respect of mitigation measures and other environmental protection activities.	PLL extend its full support to the officers of this ministry's Regional Office, Bengaluru and the officers of the Central and State Pollution Control Board during the inspection for monitoring purpose
25	General	In case of deviation or alteration in the project including the implementing agency, a fresh reference should be made to this Ministry for modification in the clearance conditions or imposition of new ones for ensuring environmental protection. The project proponents should be responsible for implementing the suggested safeguard measures.	PLL has not carried out any deviation or alteration in the project. PLL will comply with this requirement and will take permit from the Ministry prior to any deviation, alteration and modification.
26	General	This Ministry reserves the right to revoke this clearance, if any of the conditions stipulated are not complied with to the satisfaction of this Ministry.	Noted. PLL will abide by all Environment clearance conditions.
27	General	This Ministry or any other competent authority may stipulate any additional conditions subsequently, if deemed necessary for environmental protection, which shall be complied with.	PLL will comply with additional conditions, if any suggested by the ministry or any other competent authority in writing.

28	General	<p>The project proponent should advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the vernacular language of the locality concerned informing that the project has been accorded environmental clearance and copies of clearance letters are available with the State Pollution Control Committee and may also be seen at Website of the Ministry of Environment & Forests at http://www.envfor.in. The advertisement should be made within 7 days from the date of issue of the clearance letter and a copy of the same should be forwarded to the Regional Office of this Ministry at Bangalore</p>	<p>Advertised in two local newspapers widely circulated in the region around the project. Copy of advertisement submitted along with the six-monthly compliance report for the period April to September 2013.</p>
29	General	<p>The Project proponents should inform the Regional Office as well as the Ministry the date of financial closure and final approval of the project by the concerned authorities and the date of start of Land Development Work.</p>	<p>PLL had informed the Regional Office as well as the Ministry regarding the date of financial closure and final approval of the project vide letter dated 5th September 2008.</p>

Conditions mentioned in the Letter No. 4215/B1/2000/STED, dated 9th February-2001 does not specifies any conditions for compliance.

Conditions mentioned in the Letter No. 1143/A2/2005/STED dated 14th October-2005 from Kerala coastal Zone Management Authority and PLL compliance remarks are as under:

Sr. No.	Conditions mentioned	PLL Compliance remarks
1.	No activities will be undertaken in the Mangrove area or in the buffer zone of the mangrove. The route of the pipeline and other activities shall have minimum of 50M from the nearby mangroves and forest land if any in the CRZ area.	PLL's plot is not in the mangrove area, it is about 100 m away from the buffer zone. All activities including the laying of pipelines are confined within the PLL's plot.
2.	Expansion of existing service road in the Costal Regulation Zone-I shall not be carried out.	Existing service road in the Costal Regulation Zone-I belongs to Panchayat and PLL will not do any expansion of this service road.
3.	No groundwater shall be tapped for the project.	PLL will not tap any ground water during operation of the terminal as water requirement will be met by local purchase. During construction stage, requirement of water was met by purchasing.
4.	The proponent shall obtain necessary No Objection Certificate (NOC) from Kerala State Pollution Control Board.	PLL has obtained required NOC from Kerala State Pollution Control Board in 1999 vide NOC No. PCB/NOC/EK/117/98 dated 17 th September-1999. We have obtained a Consent to Operate with no. PCB/HO/EKM-1/ICO-R/16/ 2023 dated 14 th August 2023, and is valid up to on 31 st March 2028, which was submitted along with six monthly compliance report till September 2023.
5.	EIA document including risk analysis and disaster management plan should be submitted directly to MoEF&CC for environment clearance, under intimation to this office.	Comprehensive EIA for 2.5 MMTPA Terminal capacity was submitted at MoEF&CC on 16th February-2001. EIA, QRA and Site emergency response plan for 5 MMTPA terminal capacity were submitted at MoEF&CC on 22nd September-2011.

TEST REPORT

ULR No.: TC1293924000012669F

LRI No.: SEAAL24060588A

Date: 10-06-2024

Page 1 of 2

CUSTOMER DETAILS

Customer Name & Address	M/s Petronet LNG Limited Survey No.347, Puthuvypu P.O Kochi, Ernakulam District
Customer Reference	Test Request Date: 04-06-2024

SAMPLE DETAILS

Product Category	Water	Sample Code	WT24060176
Sample Name	Ground Water	Sample Received on	04-06-2024
Sample Description by Customer	Bore Well Water	Temperature @ Receipt	4°C
Sample Conditions at Receipt	Fit for Analysis	Test Commenced on	05-06-2024
Sample Quantity & Packing	2 L & 125 ml in a Plastic Bottle	Test Completed on	08-06-2024
Information Provided by Customer	---	Sampled by	Lab Authorized Sampler

DETAILS OF SAMPLING

Sample Source	Near Main Tower	Date of Sampling	04-06-2024
Sampling Procedure	SEAAL/QAD/SOP/7.3/01		

TEST RESULTS - CHEMICAL DISCIPLINE

Sl.No.	PARAMETERS	TEST METHOD	UNIT	RESULT
1	pH	IS 3025 (Part 11):2022	---	6.90
2	Temperature	IS 3025 (Part 9): 2023	°C	25.3
3	Total Dissolved Solids	IS 3025 (Part 16):2023	mg/L	764
4	Electrical Conductivity	IS 3025 (Part 14):2013	µS/cm	1273
5	Turbidity	IS 3025 (Part 10):2023	NTU	1.0
6	Chloride as Cl	IS 3025 (Part 32):1988	mg/L	70.0
7	Iron as Fe	IS 3025 (Part 53):2003	mg/L	0.48
8	Fluoride as F	APHA (24th Edn) 4500-F- B, D: 2023	mg/L	<0.10
9	Sulphate as SO ₄	IS 3025 (Part 24/Sec 1): 2022	mg/L	160
10	Salinity	APHA (24th Edn) 2520 - B: 2023	ppt	0.625

Shency Joy
TM-Chemical
Checked by:



Laiju P N
Laboratory Head
Authorized Signatory

The results are related only to the samples submitted for analysis and this test report shall not be reproduced except in full, without the written approval of the laboratory.

Standards Environmental & Analytical Laboratories

Accreditation & Approval: NABL accredited Testing Laboratory as per ISO/IEC 17025:2017
vide Certificate No. TC - 12939 & "A" Grade Laboratory approved by KSPCB.

'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist. - 683 110
Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.sealabs.in, E-mail: seaalab@gmail.com

TEST REPORT

ULR No.: TC1293924000012669F

LRI No.: SEAAL24060588A

Date: 10-06-2024

Page 2 of 2

TEST RESULTS - CHEMICAL DISCIPLINE


Sl.No.	PARAMETERS	TEST METHOD	UNIT	RESULT
11	Mercury as Hg	IS 3025 (Part 48) Method 5: 1994	mg/L	BDL (LOD-0.001)
12	Lead as Pb	IS 3025 (Part 47), Method 7 : 1994	mg/L	BDL(LOD 0.01)
13	Copper as Cu	IS 3025 (Part 42), Method 6: 1992	mg/L	BDL (LOD-0.016)
14	Total Chromium as Cr	IS 3025 (Part 52), Method 7: 2003	mg/L	BDL (LOD-0.05)
15	Zinc as Zn	APHA (24th Edn) 3111-B : 2023	mg/L	BDL (LOD-0.008)
16	Cadmium as Cd	IS 3025 (Part 41), Method 6: 2023	mg/L	BDL (LOD-0.003)
17	Cyanide as CN	IS 3025 (Part 27/Sec 1): 2021	mg/L	<0.01
18	Oil & Grease	IS 3025 (Part 39): 2021	mg/L	<1.00
19	Dissolved Oxygen	IS 3025 (Part 38):1989	mg/L	6.90
20	Biochemical Oxygen Demand (3 days at 27 °C)	IS 3025 (Part 44):2023	mg/L	<2.00
21	Chemical Oxygen Demand	IS 3025 (Part 58):2023	mg/L	<4.00
22	Pesticide	SEAAL/INS/SOP/7.2/03	µg/L	< 0.005
23	Insecticide	SEAAL/INS/SOP/7.2/03	µg/L	< 0.005

Note: BDL-Below Detection Limit,


LOD-Limit of Detection

Remarks:

End of Report


Shency Joy
TM-Chemical
Checked by:




Laju P N
Laboratory Head
Authorized Signatory

The results are related only to the samples submitted for analysis and this test report shall not be reproduced except in full, without the written approval of the laboratory.

Standards Environmental & Analytical Laboratories

Accreditation & Approval: NABL accredited Testing Laboratory as per ISO/IEC 17025:2017
vide Certificate No. TC - 12939 & "A" Grade Laboratory approved by KSPCB.

'Standards' Bldg. No: 338/A,B,C,D,E (Behind BPCL Petrol Pump), Edayar, Muppathadam P.O., Ernakulam Dist. - 683 110
Tel. 0484-2546660, 93872 72402, 90743 41443, Web: www.sealabs.in, E-mail: seaalab@gmail.com

Ambient Air Monitoring Report (April to September 2024)


LOCATI ON NO.	Location of Ambient Air Sampling	Month	PM (<10 microns) in Micrograms/m3; Limit 100 Micrograms/m3	PM (<2.5 microns) in Micrograms/m ³ ; Limit 60 Micrograms/m ³	SOx as SO ₂ in Micrograms/m ³ ; Limit 80 Micrograms/m ³	NOx, Oxides of Nitrogen in Micrograms/m3 ; Limit 80 Micrograms/m3	Carbon Monoxide (CO); mg/m ³ 4.0 mg/m ³	OZONE Micrograms/m ³ ; Limit 180 Micrograms/m ³	Hydrocarbons (HC); Micrograms/m3 ;
1	(Watch Tower-1) near MGH building	April	67.3	32.9	0	0	0.62	0	0
		May	53.7	25.8	0	0	0.54	0	0
		June	44.8	20.7	0	0	0.43	0	0
		July	45.2	21.7	0	0	0.41	0	0
		August	52.1	24.8	0	0	0.52	0	0
		September	45.6	21.5	0	0	0.45	0	0
		Avarage	51.45	24.57	0.00	0.00	0.50	0.00	0.00
		2	Near Fire Station Building	April	81.3	39.5	0	0	0.68
May	69.6			30.7	0	0	0.5	0	0
June	51.9			25.7	0	0	0.42	0	0
July	51.8			25.3	0	0	0.44	0	0
August	57.5			28.9	0	0	0.49	0	0
September	50.9			24.5	0	0	0.55	0	0
Avarage	60.50			29.10	0.00	0.00	0.51	0.00	0.00
3	Fire water Reservoir+ Watch Tower-5			April	59.2	29.7	0	0	0.44
		May	48.3	24.2	0	0	0.38	0	0
		June	40.9	19.7	0	0	0.32	0	0
		July	40.7	20.5	0	0	0.29	0	0
		August	48.2	22.5	0	0	0.35	0	0
		September	43.8	19.9	0	0	0.4	0	0
		Avarage	46.85	22.75	0.00	0.00	0.36	0.00	0.00
		4	Watch Tower-3 near Tank T-101	April	56.4	28.2	0	0	0.47
May	45.9			22.7	0	0	0.4	0	0
June	38.5			18.2	0	0	0.38	0	0
July	38.6			16.4	0	0	0.25	0	0
August	46.4			23.2	0	0	0.33	0	0
September	42.9			19.2	0	0	0.39	0	0
Avarage	44.78			21.32	0.00	0.00	0.37	0.00	0.00

CSR UPDATES OF KOCHI LNG TERMINAL

APRIL 2024- SEPTEMBER 2024



CSR EXPENDITURE OF FY 2024-25



Sector	Amount
Health care	31,51,270.00
Environment	18,50,000.00
Education	13,62,038.84
Women Empowerment	5,00,000.00
Rural Development	4,90,490.00
Sanitation	3,86,331.00
Disaster	82,570.00

EDUCATION



Support for safe flooring at FACT English Medium School, Udyogamandalam, Kalamasserry.

EDUCATION & SANITATION



Inauguration of Baby Friendly washroom and refurbished building of Harishree Anganwadi, Puthuvypu.

WOMEN EMPOWERMENT & DISASTER MANAGEMENT



PLL Kochi supported Elamkunnapuzha Gram Panchayat for purchasing Rain Coats and water tanks for Haritha Karma Sena members working under Elamkunnapuzha Gram Panchayat.



SANITATION



Support towards constructing **Baby friendly washroom** at Anganwadi No: 105, Njarakkal

In preschools, baby-friendly washrooms are important to ensure the well-being of children, as well as their health and safety. Moreover, this initiative is part of a broader effort to inculcate healthy practices among children and encourage the habit of using washrooms from a very young age.

SANITATION



Support for procurement of **grass cutter** machine for Government Upper Primary School, Puthuvypu.

SANITATION



“Menstrual Friendly School”

Support for procurement of incinerator for Govt Vocational Higher Secondary School, Njarakkal

SANITATION



“**BIO BIN**” are easy to use 3 bin composters that take up minimal space to give out organic manure from kitchen waste without producing any foul smell. The holes on the sides permit ample ventilation during the process. The bottom lid will act as an ant trap upon pouring sufficient water.

As part of Swachhata Pakhwada 2024 PLL distributed 30 Bio bins to Vypin Block Panchayat. Through the use of Bio-Bins institutions under Vypin Block Panchayat can switch to reliable and affordable composting means.

SANITATION



“Menstrual Friendly School”

PLL Kochi has officially inaugurated a Sanitary Napkin Vending machine at the Govt HSS, Elamkunnappuzha as part of Corporate Social Responsibility (CSR) initiative.

SANITATION

BEFORE



AFTER



Wall Painting and Selfie spot at Govt UP School Puthuvypu

As part of the Swacchhata Hi Seva 2024 initiative, students from Govt UP School Puthuvypu revitalized their school wall through vibrant paintings and impactful cleanliness messages. This creative endeavor not only beautified the wall but also transformed it into an inspiring representation of the importance of cleanliness.

SANITATION



Wall Painting at Govt LP School, Azheekal, Vypin

SANITATION



Swachhata Samvaad

PLL Kochi, in collaboration with the Elamkunnappuzha Gram Panchayat, organized a “Swachhata Samvaad- Clean village Green Village- Vision of children” session involving Haritha Karma Sena members and student representatives from 21 schools in Vypin at the Ochanthuruth Service Co-operative Bank auditorium in Puthuvypu. Following the Samvaad, an inter-school “Swachhata Quiz” competition was also conducted. Jute bags were distributed to all Haritha Karma Sena Members of Elamkunnappuzha Gram Panchayat.




ENVIRONMENT & SANITATION

BEFORE



AFTER



Blackspot cleaning and beautification at Valappu Beach, Vypin

Beautification

- Selfie spot installation
- Bottle Booth hand overed to Elamkunnapuzha Gram Panchayat
- Tree plantation with tree guard protection

HEALTH CARE & SANITATION



Safe Drinking Water Facility

PLL Kochi installed 3 water purifiers at FHC Munambam

HEALTH CARE



Support for procurement of an image viewing computer for Surgical Oncology Department of Govt. Medical College, Kottayam.



Support towards setting up an Open Gymnasium at ward 11, Elamkunnappuzha Gram Panchayat.

LOI signing between PLL and Elamkunnappuzha Gram Panchayat for the construction of Open Gymnasium at Puthuvypu.



ENVIRONMENT



On June 5th, 2024, in honour of Environment Day, Mr. Upinder Kumar, the Chief General Manager and Vice President of the plant, officially inaugurated Pacha Thuruthu at FHC Munambam by planting a sapling.

Vypin Block Panchayat has initiated the project as part of "Carbon Neutral Vypin" to reduce carbon emissions and create a clean and environmentally friendly Vypin.

ENVIRONMENT



Biodiversity restoration at Munambam & Kuzhupilly Beach

1. Initial meeting for implementation plan formation.
2. MGNREGA workers making pit for storing water for watering plants.
3. Inauguration of Butterfly Garden at Munambam Beach.

S.N	Name of Project	Category	Project Location	Approved/ Committed (including taxes) in INR	Payment done (INR lakh)
1	Support towards setting up a Community Kitchen for Kurumba tribal hamlet at Murugala, Attappady, Palakkad, Kerala.	(iii) Women Empowerment	Attappady, Palakkad	5,00,000.00	Project Completed. Bills awaited
2	Support for providing sanitary napkin vending machine for Government Higher Secondary School, Elamkunnappuzha.	(i) Sanitation	Elamkunnappuzha Vypin	6,325.00	6,324.80
3	Support towards procurement of an image viewing computer for Surgical Oncology Department of Govt. Medical College, Kottayam.	(i) Health care	Kottayam	2,05,910.00	2,05,910.00
4	Support for safe flooring at FACT English Medium School, Udyogamandalam, Kalamasserry.	(ii) education	Kalamasserry	4,97,924.84	4,97,920.06
5	Support towards procurement and installation of Incinerator at Govt VHSS, Njarakkal, Vypin.	(i) Sanitation	Njarakkal, Vypin	42,480.00	42,480.00
6	Support for Counselling shed area at Mulavukadu Police Station, Ernakulam.	(x) Rural Development	Mulavukadu, Ernakulam	4,90,490.00	4,90,490.00
7	Support for procuring rain coats and water tanks for Haritha Karma Sena, Elamkunnappuzha Gram Panchayat.	Disaster & (III) women empowerment	Elamkunnappuzha Vypin	82,570.00	82,570.00
8	Support towards refurbishment of Harishree anganwadi at ward 20, Puthuvypu, Vypin	(ii) education	Elamkunnappuzha Vypin	3,75,240.00	3,57,171.00
9	Support towards procurement and installation of Water Purifier at FHC, Munambam, Vypin.	(i) Health care	Munambam, Vypin	63,810.00	53,230.00
10	Support towards roofing of Anupama Anganwadi, ward 16 Elamkunnappuzha Gram Panchayat.	(ii) education	Puthuvypu	4,88,874.00	4,88,697.00
11	Swahhata Pakwada 2024	(i) Sanitation	Vypin	1,23,825.00	1,21,861.00
12	Support for installation of RO Plant for Women and Children's Hospital, Mattancherry, Kottayam.	(i) Health care	Mattancherry	4,17,333.00	3,40,000.00
13	Swahhata Hi Seva 2024+ tree plantation	(i) Sanitation	Vypin	2,13,701.00	1,74,658.00
14	Support towards restoration of biodiversity at Munambam and Kuzhupilly Beaches, Vypin	(iv) Environment	Munambam & Kuzhupilly (Vypin)	18,50,000.00	Project Ongoing
15	Support towards setting up an Open Gymnasium at ward 11, Elamkunnappuzha Gram Panchayat.	(i) Health care	Puthuvypu	24,64,217.00	Project completed. Bills wawaited
				78,22,699.84	

CSR EXPENSES upto September 2024		
Sl. No	FY	Total CSR Expenditure (in INR)
1	2013-14	2,54,57,793.00
2	2014-15	1,60,08,694.00
3	2015-16	2,23,01,262.00
4	2016-17	1,68,26,007.00
5	2017-18	78,24,860.00
6	2018-19	1,91,45,429.00
7	2019-20	1,53,44,487.00
8	2020-21	2,14,69,603.00
9	2021-22	3,95,48,144.00
10	2022-23	6,22,82,334.00
11	2023-24	7,51,47,711.00
12	2024-25	78,22,699.84
TOTAL		32,91,79,023.84